

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.57
SEP 7 1928
SEP 7 1928
Import Division
HARDY PERENNIALS

AND

ROCK PLANTS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

FALL 1928



TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS AND ROCK PLANTS

Per Doz.—Per 100

ACHILLEA

| | | | |
|---------------------------------|---|------|-------|
| Ptarmica Boule de Neige. | Sprays of small, double white flowers. 12 to 18 inches. June-September. | 1.50 | 10.00 |
| “ The Pearl. | A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September. | 1.50 | 10.00 |
| rupestris. | A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers borne in dense umbels. 6 in. May-June. | 2.00 | 12.00 |
| tomentosa. | A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers. | 1.50 | 10.00 |
| umbellata. | A rare and dainty rock plant bearing heads of snow white flowers over tufts of silvery foliage. 6 inches. June. | 2.00 | 12.00 |

AETHIONEMA (Lebanon Candytuft)

| | | | |
|-------------------|---|------|-------|
| iberideum. | A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May. | 2.50 | 15.00 |
|-------------------|---|------|-------|

AGROSTEMMA

| | | | |
|-------------------|---|------|------|
| coronaria. | Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July. | 1.25 | 8.00 |
| “ alba. | A white variety of the preceding. | 1.25 | 8.00 |

AJUGA

| | | | |
|--------------------|--|------|-------|
| genevensis. | Short spikes of intense blue flowers. A good rock plant. 6 in. June. | 2.00 | 12.00 |
|--------------------|--|------|-------|

ALYSSUM

| | | | |
|---------------------------------------|--|------|------|
| saxatile compactum (Gold Dust) | One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. | 1.25 | 8.00 |
|---------------------------------------|--|------|------|

Per Doz.—Per 100

ANCHUSA

| | | |
|---|------|-------|
| italica Dropmore Variety. Tall spikes of gentian-blue flowers, resembling giant forget-me-nots. 4 ft. June-July. | 1.50 | 10.00 |
| italica Opal. Similar to the preceding, but having pale blue flowers. | 1.50 | 10.00 |

ANTHEMIS

| | | |
|---|------|-------|
| tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September. | 1.50 | 10.00 |
|---|------|-------|

AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.

| | | |
|--|------|-------|
| chrysantha. A tall and beautiful species bearing soft yellow flowers 3 ft. May-June. | 1.50 | 10.00 |
| coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June. | 1.50 | 10.00 |
| nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June. | 1.25 | 8.00 |
| Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June. | 1.50 | 10.00 |

ARABIS

| | | |
|---|------|-------|
| alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May. | 1.50 | 10.00 |
|---|------|-------|

ARENARIA

| | | |
|---|------|-------|
| montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May. | 2.00 | 12.00 |
|---|------|-------|

Per Doz.—Per 100

ARMERIA (Thrift, Sea Pink)

| | | |
|--|------|-------|
| Cephalotes. (Giant Thrift) Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June. | 1.50 | 10.00 |
| maritima Lauchiana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches. | 2.00 | 12.00 |

ARTEMISIA

| | | |
|--|------|-------|
| lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft. | 1.50 | 10.00 |
|--|------|-------|

ASCLEPIAS

| | | |
|--|------|-------|
| tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June. | 1.50 | 10.00 |
|--|------|-------|

ASPHODELINE (Asphodel)

| | | |
|---|------|-------|
| lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July-September. | 2.00 | 12.00 |
|---|------|-------|

ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.

| | | |
|---|------|-------|
| Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems 4-5 ft. September-October. | 1.50 | 10.00 |
|---|------|-------|

| | | |
|---|------|-------|
| Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. | 1.50 | 10.00 |
|---|------|-------|

| | | |
|---|------|-------|
| N. A. Barr's Pink. A new variety of strong, erect growth, bearing large, bright pink flowers. When this variety was shown at the R. H. S. Hall, London, it was described by the Horticultural Advertiser as the best pink Aster in cultivation. 4 ft. September-October. | 2.50 | 15.00 |
|---|------|-------|

| | | Per Doz.—Per 100 | |
|--------------------------|--|------------------|-------|
| ASTER (continued) | | | |
| N. A. Lil Fardel. | Large, clear pink flowers. 4 ft. September-October. | 1.50 | 10.00 |
| N. A. Mrs. F. W. Raynor. | Large crimson flowers. 4 ft. September-October. | 1.50 | 10.00 |
| Perry's White. | A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. | 1.50 | 10.00 |
| The Queen. | Very large flowers borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. | 1.50 | 10.00 |
| St. Egwyn. | This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft. | 1.50 | 10.00 |
| tartaricus. | A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November. | 1.50 | 10.00 |
| White Climax. | A pure white form of Climax. | 1.50 | 10.00 |
| ASTER, DWARF ALPINE | | | |
| alpinus. | Large, bluish purple flowers. 9 inches. May-June. | 1.50 | 10.00 |
| “ albus. | A white variety of the foregoing. | 1.50 | 10.00 |
| subcoeruleus. | Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July. | 1.50 | 10.00 |
| AUBRIETIA | | | |
| deltoidea. | A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May. | 2.00 | 12.00 |
| BAPTISIA | | | |
| australis. | (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June-July. | 1.50 | 10.00 |

Per Doz.—Per 100

BOCCONIA

| | | |
|---|------|-------|
| cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August. | 1.50 | 10.00 |
|---|------|-------|

BOLTONIA

| | | |
|---|------|------|
| asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September. | 1.25 | 8.00 |
| latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September. | 1.25 | 8.00 |

CALAMINTHA

| | | |
|---|------|-------|
| alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August. | 1.50 | 10.00 |
|---|------|-------|

CAMPANULA (Bell-flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.

| | | |
|--|------|-------|
| alliaeraefolia. Handsome, heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June. | 1.50 | 10.00 |
| carpatia. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August. | 1.50 | 10.00 |
| macrantha. A vigorous grower, 4 to 5 ft. high, the stems terminating in clusters of large, deep blue flowers. July. | 1.50 | 10.00 |
| Medium. (Canterbury Bell) Blue, pink, white; separate. | 1.25 | 8.00 |
| “ Calycanthema. (Cup and Saucer) Mixed colors. | 1.25 | 8.00 |
| persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft. | 1.50 | 10.00 |
| “ alba. A white variety of the preceding. | 1.50 | 10.00 |

Per Doz.—Per 100

CAMPANULA (continued)

| | | |
|---|------|-------|
| pyramidalis. (Chimney Campanula) Tall pyramidal spikes of blue flowers. 6 ft. July. | 1.50 | 10.00 |
| “ alba. A white variety of the above. | 1.50 | 10.00 |

CARYOPTERIS

| | | |
|--|------|-------|
| mastacanthus. (Blue Spiraea) A compact, free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers. | 2.00 | 12.00 |
|--|------|-------|

CENTAUREA

| | | |
|--|------|-------|
| macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August. | 1.50 | 10.00 |
| montana. Woolly foliage and bright blue flowers. 1½ ft. June-July. | 1.50 | 10.00 |
| “ alba. A white variety of the last. | 1.50 | 10.00 |

CERASTIUM

| | | |
|---|------|-------|
| tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers. | 1.50 | 10.00 |
|---|------|-------|

CHRYSANTHEMUM

| | | |
|--|------|------|
| maximum. (Shasta Daisy) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September. | 1.25 | 8.00 |
|--|------|------|

COREOPSIS

| | | |
|---|------|------|
| grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer. | 1.25 | 8.00 |
|---|------|------|

DELPHINIUM

| | | |
|---|------|-------|
| Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½-3 ft. | 1.25 | 8.00 |
| Bellamosum. Similar in habit and growth to the above, but having dark blue flowers. | 1.25 | 8.00 |
| grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September. | 1.25 | 8.00 |
| “ album. A white variety of the last. | 1.25 | 8.00 |
| Mixed Hybrids. Raised from seed saved from a first class strain. | 2.00 | 12.00 |

Per Doz.—Per 100

DIANTHUS

| | | |
|---|------|-------|
| arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems. | 1.50 | 10.00 |
| caesius. (Cheddar Pink) Blue-gray cushions of foliage and rosy pink, sweetly scented flowers carried on 9 inch stems. May-June. | 2.00 | 12.00 |
| deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July. | 1.50 | 10.00 |
| “ album. A white variety of the foregoing. | 1.50 | 10.00 |
| “ Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage. | 1.50 | 10.00 |
| plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June. | 1.25 | 8.00 |

DIELYTRA

| | | |
|--|------|-------|
| formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August. | 1.50 | 10.00 |
|--|------|-------|

DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.

| | | |
|---|------|-------|
| gloxinaeflora. Pink, purple, white; separate. | 1.25 | 8.00 |
| “ The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose. | 1.50 | 10.00 |

DRACOCEPHALUM

| | | |
|--|------|-------|
| Ruyschianum. One of the showiest of spring flowering plants and one we recommend to those seeking something unusual. It forms a clump of many stems, each one being thickly covered during May with purplish blue, Salvia shaped flowers. 1 to 1½ ft. | 2.00 | 12.00 |
|--|------|-------|

Per Doz.—Per 100

ECHINACEA (Purple Coneflower)**purpurea.** A distinct plant of uncommon beauty.

Large, pinkish-purple flowers having cone-shaped, orange red centers, are borne on strong, straight stems, 3 to 4 ft. in height.

July-August

1.50 10.00

ECHINOPS (Globe Thistle) Vigorous and stately plants.

attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.

Ritro. Globular heads of glistening blue flowers. 4 ft. July-August.

1.50 10.00

sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.

1.50 10.00

ERINUS**alpinus.** A dwarf, dainty rock plant of tufted habit bearing pink flowers in May. 6 inches.

2.00 12.00

“ **albus.** A white variety of the last.

2.00 12.00

EUPATORIUM**coelestinum.** Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft.

1.25 8.00

Fraseri. Feathery white flowers. 2 ft. July-September.

1.25 8.00

EUPHORBIA (Spurge)**corollata.** The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of *Gypsophila paniculata* when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September.

1.25 8.00

polychroma. A conspicuous object in early spring. It has a bushy, much branched habit, each branch terminating in a whorl of bright petal-like bracts. 1½ ft.

2.00 12.00

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| FUNKIA | | |
| undulata variegata. Creamy white and green variegated leaves. | 1.50 | 10.00 |
| GAILLARDIA | | |
| grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September. | 1.25 | 8.00 |
| GERANIUM | | |
| sanguineum. Forms a thick mass of prostrate stems and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August. | 2.00 | 12.00 |
| GLOBULARIA (Globe Daisy) | | |
| tricosantha. A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 inches. May-June. | 1.50 | 10.00 |
| GYPSOPHILA | | |
| Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from <i>Gypsophila paniculata</i> fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown, grafted plants. | 7.50 | 50.00 |
| paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July. | 1.25 | 8.00 |
| repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July. | 1.50 | 10.00 |
| HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower. | | |
| autumnale Riverton Gem. Rich mahogany-red flowers. | 1.50 | 10.00 |
| “ Gartensoenne. A new variety having clear yellow flowers. 4 ft. August-September. | 2.00 | 12.00 |

| | Per Doz.— | Per 100 |
|---|-----------|---------|
| HELENIUM (continued) | | |
| “ surperbum. Yellow. 4 ft. August-September. | 1.50 | 10.00 |
| Hoopseii. Large heads of deep yellow flowers. 2 ft. June-July. | 1.50 | 10.00 |
| HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June. | | |
| Fireball. Brilliant scarlet. 9 inches. | 2.00 | 12.00 |
| macranthum. Large creamy white. 6 inches. | 2.00 | 12.00 |
| Mrs. Earle. Double scarlet flowers. 9 inches. | 2.00 | 12.00 |
| praecox. Large, soft yellow flowers. Silvery foliage. 9 inches. | 2.00 | 12.00 |
| rhodanthe carneum. Very large, clear pink flowers. Silvery foliage. 9 inches. | 2.00 | 12.00 |
| HELIANTHUS | | |
| mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September. | 1.50 | 10.00 |
| HELIOPSIS | | |
| Pitcheriana. Golden yellow flowers throughout the summer. 3 ft. | 1.25 | 8.00 |
| HEMEROCALLIS | | |
| Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May. | 1.50 | 10.00 |
| Thunbergi. Clear yellow flowers. 3 ft. July | 1.50 | 10.00 |
| HERNIARIA | | |
| glabra. A prostrate green carpeter which remains green throughout winter. | 1.50 | 10.00 |
| HESPERIS | | |
| matronalis. Sweetly scented, purple flowers freely produced during summer. 1½ ft. | 1.50 | 10.00 |
| “ albus. A white variety of the last. | 1.50 | 10.00 |

| | Per Doz. | Per 100 |
|--|----------|---------|
| HIBISCUS (Mallow) | | |
| Marvel Mallows. Pink, red, white separate. | 1.50 | 10.00 |
| HOLLYHOCK. Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may be relied upon to come true to color. | | |
| Double Varieties: Apple Blossom, Bright Rose, Cerise, Crimson, Newport Pink, Salmon Rose, White, Yellow. | 1.50 | 10.00 |
| Single Mixed. | 1.50 | 10.00 |
| HYPERICUM | | |
| olympicum. A rare rock plant, gray foliage and very large, yellow flowers. 6 in. June-July. | 3.00 | 20.00 |
| IBERIS (Candytuft) | | |
| sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May. | 1.25 | 8.00 |
| INCARVILLEA | | |
| Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of <i>Bignonia grandiflora</i> ; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout erect stems. July. Strong flowering roots. | 2.00 | 12.00 |
| INULA | | |
| ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft. | 1.50 | 10.00 |
| glandulosa. A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread-like petals. 2 ft. June-July. | 2.00 | 12.00 |
| IRIS | | |
| cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| pumila Cyanea. Violet-purple. 9 in. May. | 1.50 | 10.00 |
| “ The Bride. Pure white. 6 in. May. | 1.25 | 8.00 |
| sibirica. Graceful, slender, grass-like foliage and violet-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June. | 1.25 | 8.00 |
| “ Snow Queen. Large, snow-white, well formed flowers. | 1.50 | 10.00 |
| LATHYRUS (Perennial Sweet Pea) | | |
| latifolius albus. A virgorous climber. White flowers. | 1.50 | 10.00 |
| “ roseus. A Pink variety. | 1.50 | 10.00 |
| LIATRIS | | |
| callilepis. Stems 2½ to 3 ft. in height covered with deep lilac flowers. July-August | 2.00 | 12.00 |
| pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August | 1.50 | 10.00 |
| scariosa. Deep purple. 2-3 ft. June-July. | 1.50 | 10.00 |
| LINUM (Flax) | | |
| perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. | 1.25 | 8.00 |
| “ album. A white variety of the above. | 1.25 | 8.00 |
| LYCHNIS | | |
| alpina. Compact cushions of rich green leaves studded in April and May with heads of pink flowers. | 1.50 | 10.00 |
| chalconica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flowers. 2-3 ft. July-August. | 1.50 | 10.00 |
| “ alba. A white variety of the above. | 1.50 | 10.00 |
| LYSIMACHIA | | |
| nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers. | 1.25 | 8.00 |
| LYTHRUM | | |
| virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July September. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| MAZUS | | |
| rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold. | 2.00 | 12.00 |
| MONARDA | | |
| didyma. (Bergamot) Bright red heads of flowers on 3 ft. Stems. The whole plant is fragrant. June-August. | 1.25 | 8.00 |
| MYOSOTIS | | |
| Palustris semperflorens. The well known and popular For-get-me-not. | 1.25 | 8.00 |
| NEPETA | | |
| Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft. | 1.50 | 10.00 |
| OENOTHERA (Evening Primrose) | | |
| missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-August. | 1.50 | 10.00 |
| speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft. | 1.50 | 10.00 |
| PARADANTHUS (Blackberry Lilly) | | |
| chinensis. Bright orange, lily-like flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. | 1.50 | 10.00 |
| PAPAVER | | |
| alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. | 2.00 | 12.00 |
| nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. | 1.50 | 10.00 |
| orientale. Large scarlet flowers. 3 ft. May-June. | 1.50 | 10.00 |
| Gerald Perry. Pale pink flowers of medium size. 2½ ft. | 2.50 | 15.00 |

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| PAPAVER (continued) | | |
| Oriente Mrs. Perry. Medium size flowers of a pleasing shade of apricot pink. 2½ ft. | 2.00 | 12.00 |
| “ Princess Ena. Small tulip shaped flowers, orange salmon in color. 2½ ft. | 2.50 | 15.00 |
| “ Royal Scarlet. Rich glowing scarlet flowers of enormous size. 3 ft. | 2.00 | 12.00 |
| “ Mixed Colors. | 1.50 | 10.00 |
| pilosum. A very free flowering border plant bearing orange-bronze flowers. June-July. 2 ft. | 1.50 | 10.00 |
| PENTSTEMON | | |
| barabatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August. | 1.50 | 10.00 |
| Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July. | 1.50 | 10.00 |
| PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water. | | |
| Antonin Mercier. Soft lilac blue with white center. 2 ft. | 1.25 | 8.00 |
| Bacchante. Fiery pink with crimson eye. 2½ ft. | 1.25 | 8.00 |
| Baron van Dedem. Glowing crimson. 2 ft. | 1.25 | 8.00 |
| Europa. White with carmine eye. 2½ ft. | 1.25 | 8.00 |
| Geffion. Soft pink with soft rose eye. 2½ ft. | 1.50 | 10.00 |
| Gruppenkonigen. Flesh pink with carmine eye. 2½ ft. | 1.50 | 10.00 |
| La Vogue. Pinkish mauve. 2½ ft. | 1.25 | 8.00 |
| Mrs. Jenkins. Pure white; large trusses. 2½ ft. | 1.25 | 8.00 |
| Rijnstroom. Rose-Pink, very large individual flowers. 2½ ft. | 1.50 | 10.00 |
| Rosenberg. Carmine violet with reddish eye. 2 ft. | 1.25 | 8.00 |
| R. P. Struthers. Rosy red with crimson eye. 2 ft. | 1.25 | 8.00 |
| Thor. Very large trusses of dazzling pink flowers. 2½ ft. | 1.25 | 8.00 |
| W. C. Egan. Large pink flowers. 2½ ft. | 1.25 | 8.00 |
| Widar. Reddish-violet flowers with white centers. 2½ ft. | 1.25 | 8.00 |

Per Doz.—Per 100

| | | |
|---|------|-------|
| suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eye. 2½ ft. June-September. | 1.50 | 10.00 |
|---|------|-------|

PHLOX, Dwarf varieties

| | | |
|--|------|-------|
| amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in. | 1.50 | 10.00 |
| divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May. | 1.50 | 10.00 |
| stolonifera. A quick growing trailer bearing heads of lavender flowers. 9 inches. April-May. | 1.59 | 10.00 |
| subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in. | 1.25 | 8.00 |
| “ atrolilacina. Masses of deep lilac flowers entirely cover the plants during April and May. The flowers of this plant are the nearest approach to blue of any variety of this type of Phlox. | 2.00 | 12.00 |
| “ G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in. | 2.00 | 12.00 |
| “ lilacina. A lilac variety. | 1.25 | 8.00 |
| “ rosea. A pink variety. | 1.25 | 8.00 |

PHYSALIS (Winter Cherry)

| | | |
|--|------|------|
| Franchetti. Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October. | 1.25 | 8.00 |
|--|------|------|

PHYSOSTEGIA

| | | |
|---|------|-------|
| virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August. | 1.25 | 8.00 |
| “ alba. A white variety of the foregoing. | 1.25 | 8.00 |
| “ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering plants. August-September. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June. | 1.25 | 8.00 |
| Excelsior. Delicate rose pink. | 1.25 | 8.00 |
| Her Majesty. Pure white; large flowers. | 2.00 | 12.00 |
| Homer. Deep rose with darker center. | 1.25 | 8.00 |
| Juliette. White, laced crimson. | 1.25 | 8.00 |
| Lord Lyons. Deep rose. | 1.25 | 8.00 |
| White Reserve. Pure white; perpetual flowering. | 1.25 | 8.00 |
| PLATYCODON. (Balloon Flower) | | |
| grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. | 1.25 | 8.00 |
| “ album. A white variety of the above. | 1.25 | 8.00 |
| PLUMBAGO | | |
| Larpetae. (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October. | 1.50 | 10.00 |
| POLEMONIUM | | |
| humile. A choice and rare rock plant of neat tufted habit, bearing dense trusses of satiny, pale blue flowers in great profusion. May-June. 6 inches. | 2.00 | 12.00 |
| Richardsoni. Neat tufts of vivid green foliage and erect spikes of pale blue flowers. 1½ ft. May. | 1.50 | 10.00 |
| PYRETHRUM | | |
| roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June. | 1.25 | 8.00 |
| RANUNCULUS | | |
| acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June. | 1.25 | 8.00 |

| | Per Doz.— | Per 100 |
|--|-----------|---------|
| RANUNCULUS (continued) | | |
| repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1 ½ ft. April-May. | 1.25 | 8.00 |
| RUDBECKIA | | |
| Golden Glow. Double, deep yellow flowers. 6 ft. July-September. | 1.25 | 8.00 |
| SALVIA | | |
| azurea grandiflora. Tall straight stems covered for half their length with sky-blue flowers. 4-5 ft. August-September. | 1.25 | 8.00 |
| Pitcheri. Similar in habit and growth to the preceding, but having dark blue flowers. | 2.00 | 12.00 |
| pratensis. Branching stems of rich, violet-blue flowers. 2 ft. June-July. | 1.25 | 8.00 |
| SANTOLINA (Cotton Lavender) | | |
| incana. An aromatic, compact growing, half shrubby plant with silvery foliage. | 1.25 | 8.00 |
| SAPONARIA | | |
| ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring. | 1.50 | 10.00 |
| SCABIOSA | | |
| caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2 ½ ft. | 2.00 | 12.00 |
| “ alba. A white variety of the above. | 2.00 | 12.00 |
| SCUTELLARIA (Skull Cap) | | |
| baicalensis coelestina. Clear blue flowers, resembling those of a snapdragon in shape, are freely borne on thin wiry stems from early summer until frost. 1 ½ ft. | 1.50 | 10.00 |
| SEDUM | | |
| acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May. | 1.50 | 10.00 |
| album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| SEDUM (continued) | | |
| hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in. | 1.50 | 10.00 |
| lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in. | 1.50 | 10.00 |
| obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June. | 2.00 | 12.00 |
| reflexum. Clusters of golden flowers. 9 in. June-July. | 1.50 | 10.00 |
| sarmentosum. Fleshy leaved, trailer with yellow flowers. | 1.50 | 10.00 |
| sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July. | 1.50 | 10.00 |
| Sieboldii. Round, fleshy, gray leaves and clusters of pink flowers. One of the most attractive Sedums. 9 in. August-September. | 2.00 | 12.00 |
| stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July. | 1.50 | 10.00 |
| spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September. | 1.25 | 8.00 |
| “ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red. | 1.50 | 10.00 |
| SIDALCEA | | |
| Rosy Gem. Pink mallow-like flowers on slender graceful stems. 2½ ft. July. | 2.00 | 12.00 |
| SPIRAEA | | |
| Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June. | 1.50 | 10.00 |
| Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July. | 1.25 | 8.00 |
| “ fl. pl. A double flower form of the foregoing and a much superior plant. Excellent for cutting. | 1.50 | 10.00 |

Per Doz.—Per 100

STOKESIA

| | | |
|---|------|-------|
| cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October. | 1.50 | 10.00 |
| cyanea alba. A white variety of the foregoing. | 1.50 | 10.00 |

STATICE

| | | |
|---|------|-------|
| latifolia. (Sea Lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September. | 1.50 | 10.00 |
|---|------|-------|

SWEET WILLIAM

| | | |
|-----------------------|------|------|
| Newport Pink. | 1.25 | 8.00 |
| Scarlet Beauty | 1.25 | 8.00 |
| White. | 1.25 | 8.00 |

THALICTRUM

| | | |
|--|------|-------|
| andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July. | 1.50 | 10.00 |
| aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. | 1.50 | 10.00 |
| “ purpureum. Pinkish purple flowers. | 1.50 | 10.00 |
| glaucum. Glaucous foliage and large, feathery heads of yellow flowers. | 1.50 | 10.00 |

THYMUS

| | | |
|---|------|-------|
| lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. | 2.00 | 12.00 |
| Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. | 2.00 | 12.00 |
| “ coccineus. A scarlet flowered variety. | 2.00 | 12.00 |

TRITOMA (Torch Lily)

| | | |
|---|------|-------|
| Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. | 2.50 | 15.00 |
|---|------|-------|

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| TRITOMA (Torch Lily) (continued) | | |
| Mixed Hybrids. A choice mixture, varying from yellow to scarlet. | 1.50 | 10.00 |
| TUNICA | | |
| <i>Saxifraga</i> .. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. | 1.50 | 10.00 |
| VALERIANA | | |
| <i>officinalis</i> . A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July. | 1.50 | 10.00 |
| VERONICA | | |
| <i>incana</i> . Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June. | 1.50 | 10.00 |
| <i>repens</i> .. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers. | 1.50 | 10.00 |
| <i>Royal Blue</i> . A dwarf bushy plant covered in May and June with masses of bright blue flowers. 1 ft. | 2.00 | 12.00 |
| <i>rupestris</i> . A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. | 1.50 | 10.00 |
| <i>spicata</i> . Spikes of blue flowers. 2 ft. June-August. | 1.50 | 10.00 |
| “ <i>rosea</i> . An uncommon pink variety of the foregoing. | 1.50 | 10.00 |
| <i>subsessilis</i> . Stout erect stems of intense blue flowers. 2-3 ft. July-August. | 2.00 | 12.00 |
| VIOLA | | |
| <i>Jersey Gem</i> . One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact. | 2.00 | 12.00 |
| <i>pedata</i> . (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May. | 1.50 | 10.00 |
| YUCCA | | |
| <i>filamentosa</i> . (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers. 6-8 ft. July. Two year plants. | 1.50 | 10.00 |

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose.

| | |
|---------------------------------------|------------------------------------|
| <i>Achillea rupestris</i> | <i>Lychnis alpina</i> |
| <i>Achillea tomentosa</i> | <i>Lysimachia nummularia</i> |
| <i>Achillea umbellata</i> | <i>Mazus rugosus</i> |
| <i>Aethionema iberideum</i> | <i>Nepeta Mussini</i> |
| <i>Ajuga genevensis</i> | <i>Oenothera missouriensis</i> |
| <i>Alyssum saxatile compactum</i> | <i>Papaver alpinum</i> |
| <i>Arabis alpina</i> | <i>Papaver nudicaule</i> |
| <i>Arenaria montana</i> | <i>Phlox amoena</i> |
| <i>Armeria maritima Lauchiana</i> | <i>Phlox divaricata</i> |
| <i>Aster alpinus</i> | <i>Phlox stolonifera</i> |
| <i>Aster alpinus albus</i> | <i>Phlox subulata alba</i> |
| <i>Aster subcoeruleus</i> | <i>Phlox subulata atrolilacina</i> |
| <i>Aubrietia deltoidea</i> | <i>Phlox subulata G. F. Wilson</i> |
| <i>Calamintha alpina</i> | <i>Phlox subulata lilacina</i> |
| <i>Campanula carpatia</i> | <i>Phlox subulata rosea</i> |
| <i>Cerastium tomentosum</i> | <i>Plumbago Larpentae</i> |
| <i>Dianthus arenarius</i> | <i>Polemonium humile</i> |
| <i>Dianthus caesius</i> | <i>Santolina incana</i> |
| <i>Dianthus deltoides</i> | <i>Saponaria ocymoides</i> |
| <i>Dianthus deltoides albus</i> | <i>Sedum acre</i> |
| <i>Dianthus deltoides Brilliant</i> | <i>Sedum album</i> |
| <i>Erinus alpinus</i> | <i>Sedum hispanicum</i> |
| <i>Erinus alpinus albus</i> | <i>Sedum lydium</i> |
| <i>Euphorbia polychroma</i> | <i>Sedum obtusatum</i> |
| <i>Geranium sanguineum</i> | <i>Sedum reflexum</i> |
| <i>Globularia tricosantha</i> | <i>Sedum sarmentosum</i> |
| <i>Gypsophila repens</i> | <i>Sedum sexangulare</i> |
| <i>Helianthemum Fireball</i> | <i>Sedum Sieboldii</i> |
| <i>Helianthemum macranthum</i> | <i>Sedum stoloniferum</i> |
| <i>Helianthemum Mrs. Earle</i> | <i>Thymus lanuginosus</i> |
| <i>Helianthemum praecox</i> | <i>Thymus Serpyllum albus</i> |
| <i>Helianthemum rhodanthæ carneum</i> | <i>Thymus Serpyllum coccineus</i> |
| <i>Herniaria glabra</i> | <i>Tunica Saxifraga</i> |
| <i>Hypericum olympicum</i> | <i>Veronica incana</i> |
| <i>Iberis sempervirens</i> | <i>Veronica repens</i> |
| <i>Inula ensifolia</i> | <i>Veronica Royal Blue</i> |
| <i>Iris cristata</i> | <i>Veronica rupestris</i> |
| <i>Iris pumila cyanea</i> | <i>Viola pedata</i> |
| <i>Iris pumila The Bride</i> | |

All plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from spring until Fall.

| | |
|----------------------------------|-----------------------------|
| Achillea Ptarmica The Pearl | Liatris pycnostachya |
| Achillea Ptarmica Boule de Nieve | Pentstemon barbatus Torreyi |
| Anthemis tinctoria Kelwayi | Phlox Miss Lingard |
| Armeria Cephalotes | Pink Excelsior |
| Baptisia australis | Pink Her Majesty |
| Campanula persicifolia | Pink Homer |
| Campanula persicifolia alba | Pink Juliette |
| Chrysanthemum maximum | Pink Lord Lyon |
| Coreopsis grandiflora | Pink White Reserve |
| Delphinium Belladonna | Pyrethrum roseum |
| Delphinium Bellamosum | Ranunculus acris fl. pl. |
| Eryngium planum | Scabiosa caucasica |
| Eupatorium Coelestinum | Scabiosa caucasica alba |
| Euphorbia corollata | Statice latifolia |
| Gaillardia grandiflora | Thalictrum adiantifolium |
| Gypsophila paniculata | Tritoma Pfitzeri |
| Heliopsis Pitcheriana | Spiraea Ulmaria fl. pl. |
| Inula glandulosa | |

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue.

